



AUTOMOTIVE LUBRICANT OIL

PRODUCT CATALOGUE

CEO MESSAGE




Amidst the trend of economic globalization, MG HAWK represents an emerging new generation of international independent enterprise.

MG HAWK has clear and far reaching vision of enhancing its productivity and core competency by embracing technological advancement and therefore achieving accelerated growth rate and competitiveness.

MG HAWK is committed to produce high quality lubricants using the most modern techniques available and set itself an aim to becoming a model lubricants manufacturer in the region.

With the assistance of the re-invigorated and well trained work force MG HAWK will contribute greatly to meeting the energy needs of the country and the region at large.



Thanking you,
Andres O. Nadela , Jr.
Chairman & Founder





MG HAWK SUPREME PLUS is an advanced technology motor oil providing excellent performance in passenger car engines. It is formulated to ensure excellent viscosity retention and superior engine protection under all driving conditions.

SAE Grades

0W40

API Classification

SN/CI-4

**Gasoline & Diesel Engine Oil
SUPREME PLUS - Fully Synthetic**

Specification

MG HAWK Fully Synthetic Motor Oil API SN /CI-4 meets the following performance specifications:

- ✓ API SN/CI-4
- ✓ ACEA C3
- ✓ Dexos 2
- ✓ MB-229.31/229.51/229.52
- ✓ Renault RN0700 / 0710
- ✓ BMW LL-04

RECOMMENDED FOR OEM



MEETS API AND ISO STANDARDS



SAE Grades

0W30

API Classification

CI-4/SN

**Diesel & Gasoline Engine Oil
SUPREME PLUS - Fully Synthetic**

Specification

MG HAWK Fully Synthetic Motor Oil API CI-4 / SN meets the following performance specifications:

- ✓ API CI-4 / SN
- ✓ ACEA C3
- ✓ Dexos 2
- ✓ MB-229.31/229.51/229.52
- ✓ Renault RN0700 / 0710
- ✓ BMW LL-04

RECOMMENDED FOR OEM



MEETS API AND ISO STANDARDS





MG HAWK SUPREME PLUS is an extra high performance gasoline and diesel engine oil that provides excellent lubrication of today's modern engines promoting extended engine life. As a result, this product meets or exceeds the specifications of virtually all major German and American engine manufacturers.

Specification

MG HAWK Fully Synthetic Motor Oil API SP /CK-4 meets the following performance specifications:

- ✓ API SP /CK-4
- ✓ ACEA C3
- ✓ Dexos 2
- ✓ MB-229.31/229.51/229.52
- ✓ Renault RN0700 / 0710
- ✓ BMW LL-04

RECOMMENDED FOR OEM



MEETS API AND ISO STANDARDS



| | |
|---|---------|
| SAE Grades | 5W40 |
| API Classification | SP/CK-4 |
| Gasoline & Diesel Engine Oil SUPREME PLUS - Fully Synthetic | |



MG HAWK SUPREME PLUS engine oil that provides superior engine protection suitable for today's multi-valve and conventional engines. Incorporating the latest additive technology, designed for today's Advance Engines. Recommended for light vehicles, passenger cars, buses, and trucks.

Specification

MG HAWK Fully Synthetic Motor Oil API CK-4 / SP meets the following performance specifications:

- ✓ API CK-4 / SP
- ✓ ACEA C3
- ✓ Dexos 2
- ✓ MB-229.31/229.51/229.52
- ✓ Renault RN0700 / 0710
- ✓ BMW LL-04

RECOMMENDED FOR OEM



MEETS API AND ISO STANDARDS



| | |
|---|---------|
| SAE Grades | 5W30 |
| API Classification | CK-4/SP |
| Diesel & Gasoline Engine Oil SUPREME PLUS - Fully Synthetic | |





MG HAWK Fully Synthetic Motor Oil is a universal, fuel economy, low SAPS synthetic motor oil recommended for use in gasoline and diesel vehicle engines, with or without turbo-charging, in passenger cars and light vehicles with extended oil drain intervals. Due to its low SAPS content, this best fully synthetic motor oil can be applied in vehicles with modern three way catalysts and diesel particle filters.

| | |
|--|----------------|
| SAE Grades | 10W40 |
| API Classification | SP/CK-4 |
| Gasoline & Diesel Engine Oil SUPREME PLUS - Fully Synthetic | |

Specification

MG HAWK Fully Synthetic Motor Oil API SP /CK-4 meets the following performance specifications:

- ✓ API SP /CK-4
- ✓ ACEA C3
- ✓ GM Dexos 2
- ✓ MB 229.51
- ✓ BMW Long life-04

| | |
|----------------------------|------------------------------------|
| RECOMMENDED FOR OEM | MEETS API AND ISO STANDARDS |
| | |



MG HAWK SUPREME PLUS a unique lubricant for ultimate engine protection and performance. High quality diesel and gasoline engine oil specially formulated with selected synthetic base fluids and race proven additive technology for use in passenger cars and light duty trucks under all operating conditions.

| | |
|--|----------------|
| SAE Grades | 10W30 |
| API Classification | CK-4/SP |
| Diesel & Gasoline Engine Oil SUPREME PLUS - Fully Synthetic | |

Specification

MG HAWK Fully Synthetic Motor Oil API CK-4 / SP meets the following performance specifications:

- ✓ API CK-4 / SP
- ✓ ACEA C3
- ✓ GM Dexos 2
- ✓ MB 229.51
- ✓ BMW Long life-04

| | |
|----------------------------|------------------------------------|
| RECOMMENDED FOR OEM | MEETS API AND ISO STANDARDS |
| | |



MG HAWK SUPREME PLUS Best Motor Oil API SL/CF is a high performance, highest quality motor engine oil. Specially developed for Gasoline and Diesel car engines, meets the requirements of the latest direct engines. Made in UAE with 100% virgin base oil and advanced additives.

| | |
|--|--------------|
| SAE Grades | 20W50 |
| API Classification | SL/CF |
| Gasoline & Diesel Engine Oil SUPREME PLUS | |

Specification

MG HAWK Motor Oil API SL/CF meets the following performance specifications:

- ✓ API SL/CF
- ✓ ACEA C3
- ✓ GM Dexos 2
- ✓ MB 229.51
- ✓ BMW Long life-04

| | |
|----------------------------|------------------------------------|
| RECOMMENDED FOR OEM | MEETS API AND ISO STANDARDS |
| | |



| | |
|---|--------------|
| SAE Grades | 15W40 |
| API Classification | CI-4 |
| Diesel Engine Oil SUPREME PLUS - Fully Synthetic | |

MG HAWK SUPREME PLUS Fully synthetic diesel engine oil is a fuel saving lubricant which has mainly been developed for heavy diesel engines even under the toughest operation conditions and longer lasting. This product is very suitable for EURO 4, EURO 5 and EURO 6 engines in combination with diesel fuel with a low sulphur content. This engine oil is also suitable for application in engines with or without particle filters and exhaust catalysts. This motor oil is one of the group "low SAPS" lubricants.

Specification

MG HAWK FULLY SYNTHETIC DIESEL ENGINE OIL API 15W40 CI-4 meets the following performance specifications:


- ✓ ACEA E6/E7/E9
- ✓ API CI4
- ✓ MB-228.31/228.51
- ✓ MAN M 3677/M 3477/M 3271-1
- ✓ Volvo VDS-4/VDS-3
- ✓ Mack EO-O Premium Plus/EO-N
- ✓ Renault VI RLD-3/RLD-2
- ✓ MTU Type 3.1
- ✓ Renault VI RXD/RGD
- ✓ Mack EO-M Plus
- ✓ Cummins CES 20081
- ✓ Cat ECF-3
- ✓ Deutz DQC IV-10 LA
- ✓ JASO DH-2



MEETS API AND ISO STANDARDS



RECOMMENDED FOR OEM





SAE Grades

5W40

API Classification


SP JASO MA2

4T Motorcycle Engine Oil SUPREME PLUS - Fully Synthetic

MG HAWK 5W-40 ESTER TECHNOLOGY Fully Synthetic Oil suits the needs of the high speed four-stroke motorcycles. Its Ester Technology surpasses the limits of conventional ester fully synthetic products. This formulation offers outstanding lubricating properties. Recommended for motor-sport & high-performance bikes.



BUILD FOR **RACING PERFORMANCE**





SAE Grades

10W40

API Classification

SP JASO MA2

4T Motorcycle Engine Oil SUPREME PLUS - Fully Synthetic

MG HAWK SUPREME PLUS 4T is an advanced technology motorcycle engine oil providing excellent performance in modern motorcycle engines. It is formulated to ensure excellent viscosity retention and superior engine protection under all driving conditions.



SAE Grades

20W50

API Classification

SP JASO MA2

4T Motorcycle Engine Oil SUPREME PLUS - Fully Synthetic

MG HAWK 20W-50 Fully Synthetic 4T Engine Oil, API SP, JASO MA, MA2 is a fully synthetic, super high-performance, multi-grade lubricants for use in high-RPM, 4-stroke motorcycle engines with integral gear boxes and wet clutches as well as for use in any 4 stroke engine.





SAE Grades

DEX III

HIGH PERFORMANCE ATF

MG HAWK ATF Dexron-III is a premium automatic transmission fluid specially formulated to meet the needs of today's more compact transmissions, running at higher operating temperatures and with electronic control.

Specification

MG HAWK ATF meets and exceeds the following International specifications:

- ✓ DEXRON
- ✓ DEXRON II
- ✓ DEXRON IID
- ✓ DEXRON IIE
- ✓ DEXRON III
- ✓ JASO 1-A



SAE Grades

ATF-CVT

AUTOMATIC TRANSMISSION FLUID

MG HAWK ATF-CVT is a fully synthetic high-performance Automatic Transmission Fluid (ATF) developed specifically for use in modern Continuous Variable Transmission (CVT) drives. It is formulated to meet JATCO and Nissan FF and SF specifications, as well as a variety of other manufacturers using Push Belt CVTs.

Specification

MG HAWK ATF meets and exceeds the following International specifications:

- ✓ Audi/VW TL 52 180,
- ✓ BMW EZL799
- ✓ Dodge/Jeep NS-2/CVTF+4/MOPAR CVT 4
- ✓ Honda HMMF/HCF-2
- ✓ Kia/Hyundai SP-CVT 1
- ✓ Toyota/Lexus CVT TC/FE



GEAR OIL



MG HAWK Lubricant is designed for high horsepower, high torque conditions. Made from the highest quality heavy synthetic base oils, MG HAWK Gear Oils contain a proprietary package of additives and extreme pressure lubricants specially engineered for shear stability and the demands of severe racing conditions.

| | |
|--------------------------------|------|
| SAE Grades | 140 |
| API Classification | GL-5 |
| HEAVY DUTY GEAR OIL | |

Specification

MG HAWK GL-5 Gear Oil meets and exceeds the following International specifications:

- ✓ API GL-5
- ✓ US Military MIL-L-2105D
- ✓ Mack GO-G



MG HAWK Lubricant is designed for high horsepower, high torque conditions. Made from the highest quality heavy synthetic base oils, MG HAWK Gear Oils contain a proprietary package of additives and extreme pressure lubricants specially engineered for shear stability and the demands of severe racing conditions.

| | |
|--------------------------------|------|
| SAE Grades | 90 |
| API Classification | GL-5 |
| HEAVY DUTY GEAR OIL | |

Specification

MG HAWK GL-5 Gear Oil meets and exceeds the following International specifications:

- ✓ API GL-5
- ✓ US Military MIL-L-2105D
- ✓ Mack GO-G





| David Brown No. / Grade | 2EP | 3EP | 4EP | 5EP | 6EP | 7EP | | | |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ISO Grades | 10W | 32 | 46 | 68 | 100 | 150 | 220 | 320 | 460 |

HEAVY DUTY HYDRAULIC OIL

MG HAWK Hydraulic oil is a premium quality anti-oxidant, anti-wear & anti-rust hydraulic oil for industrial hydraulic applications. It is blended with selected high quality base stocks and special additives that deliver excellent demulsibility, superior oxidation & thermal stability and excellent load carrying capacity. It is applicable where hydraulic systems are susceptible to deposit build-up or where sludge and deposits form with conventional product systems containing gears and bearings.

Specification

MG HAWK ATF meets and exceeds the following International specifications:

- ✓ DIN 51524-2: 2006-09
- ✓ HUSKY HS 207
- ✓ VICKERS M-2950-S
- ✓ Fives Cincinnati
- ✓ HOCNF
- ✓ PARKER DENISON HF1





SAE Grades

API TC, NMMA TC-W 3

MARINE OIL

2T OUTBOARD OIL

MG HAWK Synthetic Marine Oil is produced using HC synthetic base oils. Its exceptionally high level of performance is achieved through the interaction of these base oils with specially developed and advanced additives. It is characterised by very good corrosion protection for all engine parts and reliably prevents salt deposits. It provides improved durability in the face of typical problems associated with modern inboard and outboard engines such as fuel dilution and water entry, and thus guarantees good wear protection and safe operation.

Specification

MG HAWK ATF meets and exceeds the following International specifications:

- ✓ MAN Diesel & Turbo
- ✓ Winterthur gas & diesel
- ✓ Wärtsilä
- ✓ DDC 93k214
- ✓ JASO MA (T903:2011)
- ✓ NMMA FC-W/FC-W



BRAKE FLUID



SAE Grades

DOT 3

HEAVY DUTY BRAKE FLUID

MG HAWK Brake Fluid is a high-quality synthetic brake and clutch fluid conforming to the DOT 3 & 4 specification and based on poly glycol type fluid that is a high-performance standard used in worldwide automotive brake equipment. It is suitable for passenger cars, trucks and buses.



ANTIFREEZE COOLANT

MG HAWK Anti-freeze Coolant is an anti-freeze mixture and not plain water. Its primary function is convective heat transfer for internal combustion engines. It protects metals against corrosion and rust and imparts high temperature stability under high pressure.

COOLANT



EP2 - MP3 LITHIUM GREASE

MG HAWK High performance, heavy duty multipurpose Moly lithium grease for heavy duty applications.. It is suitable for passenger cars, trucks and buses.

GREASE






BRAKE & PARTS CLEANER

For rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads and drums. It is non-staining, leaves no residue and is non-corrosive. Also helps to stop disc brake squeal and eliminate clutch slippage

MG HAWK Brake and parts is a special combination of solvents for simple, safe cleaning and degreasing of structural components. Has excellent penetration properties, enabling it to dissolve oil, grease, resin and tar residues and contaminants easily, even in hidden areas. After the solvent has evaporated, the surface is left free of grease and residues.

Applications

- ✓ Removes oil, grease, dirt and brake fluid
- ✓ Cleans without disassembling the unit
- ✓ Safe to use on brake linings, pads and drums
- ✓ Heavy duty brake cleaner
- ✓ Ideal use when changing disks and pads
- ✓ Assists in the prevention of uneven braking, noise and chattering
- ✓ Washes away lining dust, brake fluid, oily road film and grit to leave brake surfaces clean
- ✓ Suitable for drum brakes, heavy duty disc brakes, clutch assemblies and plates




PERFORMANCE LUBRICANTS





AUTOMOTIVE LUBRICANT OIL



JOINT VENTURE OF
AA3 SOLUTIONS FZ LLC
RAK UAE, FOB1124 SERVICE BLOCK
AL JAZIRAH AL HAMRA, RAKEZ BUSINESS ZONE-FZ
RAS ALKHAIMAH, UNITED ARAB EMIRATES

Email: info@silver-ox.com

Mob: +971 56 365 2310

MADE IN U.A.E